Form 4-683 (January 1963)

#### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

#### FIELD NOTES

Mineral Survey number 4647 State Arizona

Land District

Of the Survey of the Mining Claim of (name and address of Claimant)

Benjamin H. Fortner & Bert Boyd 627 West Gurley Street Prescott, Arizona 86301

Known as the (name of group, if any)

#### CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION		DATE		
NAME OF LOCATION	LOCATED	AMENDE		
LUCKY MICA #1 (one)	2/18/50			
LUCKI MICA #1 (one)	2/10/30			
LUCKY MICA #2 (TWO)	2/18/50			
DOCE OHADER #1				
ROSE QUARTZ #1	5/1/50			
		- 19-		
t				
ning district County				

Mining district Vulture					County			
Section s 14,15,22 & 23	Townshi 6 Nort	p Eh	Range 5 West		Meridian Gila &	Salt	River	Survey under order dated March 28, 1967
Survey commenced April 22, 1967		Survey Septe	completed ember 15, 19	967	Name of M Loui		Surveyor Corne	

FEET

This survey was made with a Wild T-16 Theodolite No. 54727, with horizontal limb 3.125 ins. diam., having one optical-reading vernier and a full vertical circle 3.125 ins. diam., having one optical-reading vernier; the verniers read to 15 seconds of arc; the eyepiece is equipped with a colored shade set in the dust shutter and a reticle with a solar circle for making direct observation upon the sun's center. The instrument was in good condition at the time of the survey and all adjustments were in good order.

· All azimuths in this record were determined by method of deflection angles referred to the meridian determined by the following observation:

April 22, 1967, at Cor. No. 1 of the LUCKY MICA #1 (one) lode, in latitude 33°51'32" N., and longitude 112°45'29" W., I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing the sun's center, and reading the horizontal angle from a reference point about 5000 ft. northeasterly SE. to the sun.

Mean time of observation, 105th meridian standard time =  $8^h$   $40^m$   $06^s$  a.m.

Declination of the sun at mean time of observation = 12°06'37" N.

Mean observed vertical angle to the sun's center = 34°03'07"

Mean horizontal angle from reference point to the sun's center

= 70°59'22" N-E

True bearing to reference point

= N. 27°31'54" E.

The lines were measured with a K & E steel tape, 501 ft. in length, graduated every ft. for 500 ft., and the remainder graduated in tenths and hundredths; the tape was compared with a Lufkin standard at the time of beginning the survey, and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of  $15\,^{\circ}$  E.

Survey No. 4647

### LUCKY MICA #1 (one) LODE

At Cor. No. 1 of the LUCKY MICA #1 (one) lode, identical with Cor. No. 1 of LUCKY MICA #2 (TWO) lode of this survey.

FEET	
on life or gairen a. classo (S):	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. LM1-1-LM2-1-4647; from which
aprocuser; chywpi-ori sat anuscus chymnics return c wa	The cor. of secs. 14, 15, 22, and 23, T. 6 N., R. 5 W., G. & S.R.M., bears S. 9°52'19" W., 2071.37 ft. dist; an iron post, 2 ins. diam., 8 ins. above ground, firmly set, marked and witnessed as described in the official record.
and model	A stone monument, 3 ft. diam., at the base and 3 ft. high, bears East, 3 ft. dist.
	No local bearing objects or bearing trees available.
ma) in sould be	Thence S. 14°35'34" W.
558.73	Road, 12 ft. wide, bears N. 58° E. and S. 53° W.
598.73	Cor. No. 4 of LUCKY MICA #2 (TWO) lode of this survey.
812	Draw, 10 ft. wide, bears N. 15° W., drains S. 17° E.
1498.21	Cor. No. 2.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. LM1-2-4647; from which
T. Mileter	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 2 ft. dist.
= "	No local bearing objects or bearing trees available.
	Thence S. 75°24'26" E.
276	Draw, 10 ft. wide, bears N. 9° E., drains S. 9° W.
299.52	Lode line; identical with Cor. No. 4 of ROSE QUARTZ #1 lode of this survey; discovery point bears N. 14°35'34" E., 1198.21 ft. dist.
450	Road, 12 ft. wide, bears N. 40° E. and S. 40° W.
599.13	Cor. No. 3, on line 3-4 ROSE QUARTZ #1 lode of this survey.
gal in ing sa	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. LM1-3-4647; from which
	A stone monument, 2 ft. diam. at the base and 2 ft. high, bears East, 3 ft. dist.
	No local bearing objects or bearing trees available.
	Thence N. 14°35'09" E.
1498.21	Cor. No. 4.
200 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. LM1-4-4647; from which

FEET	
(=nc) f	A stone monument, 3 ft. diam. at the base and 2 ft. high, bears East, 3 ft. dist.
	No local bearing objects or bearing trees available
.geo sect	Thence N. 75°-24' 26" W.
245	Road, 12 ft. wide, bears N. 16° E. and S. 16° W.
299 • 43	Lode line; discovery point bears S. 14° 35' 34" W., 300 ft. dist.
598.95	. Cor. No. 1, and place of beginning.
.6. 188	To de Mariano en 11 de maria de maria de 12 de 18 de 1
15 TA	LUCKY MICA #2 (TWO) LODE
	Beginning at Cor. No. 1 of the LUCKY MICA #2 (TWO) lode, identical with Cor. No. 1 of LUCKY MICA #1 (one) lode of this survey, previously described.
	Thence N. 75° 24' 26" W.
108	Draw, 10 ft. wide, bears N. 3° E., drains S. 3° W.
1024	Road, 12 ft. wide, bears N. 19° W. and S. 19° E.
1400	Draw, 10 ft. wide, bears N. 33° E., drains S. 33° W.
1498.73	Cor. No. 2.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. LM2-2-4647; from which
s and easy	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 3 ft. dist.
	No local bearing objects or bearing trees available.
	Thence S. 14° 35′ 34″ W.
268	Draw, 10 ft. wide, bears N. 40° E., drains S. 32° W.
299.55	Lode line; discovery point bears S. 75° 24' 26" E., 1198.73 ft. dist.
599.38	Cor. No. 3.
·3 ·8 · h ·	This corner falls at the edge of a draw where a permanent monument can not be established.
	Thence S. 75° 25' 56" E.
47.06	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, for witness Cor. No. 3, mkd. WC-LM2-3-4647.
839	Road, 12 ft. wide, bears N. 13° W. and S. 13° E.
1469	Draw, 10 ft. wide, bears N. 10° E., drains S. 10° W., and a road, 12 ft. wide, bears N. 58° E. and S. 53° W.

	and the second s	-
FEET		
1498.73	Cor. No. 4, on line 1-2 of the LUCKY MICA #1 (one) lode of this survey.	
tial keva sanci	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. LM2-4-4647; from which	
1 . 1.	A stome monument, 3 ft. diam. at the base and 3 ft. high, bears East, 4 ft. dist.	
	No local bearing objects or bearing trees available.	
	Thence N. 14 35 34" E.	
40	Road, 12 ft. wide, bears N. 58° E. and S. 53° W.	
299•18	Lode line; discovery point bears N. 75° 24' 26" W., 300 ft. dist.	
1 (41) 10 8	ON MALL SE TO F.el .so. Je minuital	
598.73	Cor. No. 1, and place of beginning.	
1 1	TABLE VISIL VIII (Variation and the actual visit of the actual vis	
	- Por les er a condi	
0-12	ROSE QUARTZ #1 LODE	
	At Cor. No. 1 of the ROSE QUARTZ #1 lode.	
•	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins.	
- ° 10.5 8	in the ground, mounted in cement, with a brass cap, mkd. RQ1-1-4647; from which	
.ani 33 (.es .ani 33 (.es	The Cor. of secs. 14, 15, 22, and 23, T. 6 N., R. 5 W., G. & S.R.M., bears N. 6° 42' 36" E., 939.46 ft. dist.	
S bre gets	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 3 ft. dist.	
culiava recei	No local bearing objects or bearing trees available.	
	Thence S. 75° 24' 26" E.	
299.81	Lode line; discovery point bears N. 14° 35' 34" E., 1096.71 ft. dist.	
339	A bank, B ft. high, bears N. 39° W. and S. 38° E.	
400	Draw, 12 ft. wide, bears N. 21° W., drains S. 21° E.	
475	A bank, 6 ft. high, bears N. 19° W. and S. 19° E.	
505	Road, 12 ft. wide, bears N. 16° W. and S. 16° E.	
599.13	Cor. No. 2.	
fra., 20 ins. Trace co., 47.	in the ground, mounted in cement, with a brass cap,	
. 13° E.	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 3 ft. dist.	
nd 9. 10° 5.	1='9	

	Survey No. 4647
FEET	
	No local bearing objects or bearing trees available.
=	Thence N. 14°35'29" E.
911	Draw, 10 ft. wide, bears N. 42° W., drains S. 42° E.
1110	A wire fence, bears East and West.
1496.71	Cor. No. 3.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. RQ1-3-4647; from which
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 3 ft. dist.
41 12	No local bearing objects or bearing trees available.
	Thence N. 75°24'26" W.
299.67	Lode line, identical with Cor. No. 3 of LUCKY MICA #1 (one) lode of this survey; discovery point bears S. 14°35'34" W., 400 ft. dist.
448.8	Road, 12 ft. wide, bears N. 40° E. and S. 40° W.
599.28	Cor. No. 4, on line 2-3 LUCKY MICA #1 (one) lode of this survey.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. RQ1-4-4647; from which
-	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 3 ft. dist.
	No local bearing objects or bearing trees available.
_	Thence S. 14°36'02" W.
55	Draw, 10 ft. wide, bears N. 21° W., drains S. 21° E.
219	Road, 12 ft. wide, bears West and S. 70° E.
546	A wire fence, bears East and West.
962	Road, 12 ft. wide, bears N. 38° W. and S. 38° E.
1016	A bank, 10 ft. high, bears N. 40° W. and S. 39° E.
1130	Draw, 15 ft. wide, bears N. 37° W., drains S. 37° E.
1238	A bank, 5 ft. high, bears N. 38° W. and S. 38° E.
1496.71	Cor. No. 1, and place of beginning.

FEET **AREAS** Acres Total area, LUCKY MICA #1 (one) lode ... 20.603 Total area, LUCKY MICA #2 (TWO) lode ... 20.611 Total area, ROSE QUARTZ #1 lode ...... 20.595 LOCATION This survey is located in the SE\(\frac{1}{2}\) sec. 15, NE\(\frac{1}{2}\) sec. 22, NW\(\frac{1}{2}\) sec. 23 and SW\(\frac{1}{2}\) sec. 14, T. 6 N., R. 5 W., of the Gila and Salt River Meridian. The survey of the LUCKY MICA #1 (one), LUCKY MICA #2(TWO) and the ROSE QUARTZ #1 lodes is identical with the respective locations as marked on the ground.

FEET	
PEEI	
No. 12.	A trench, the west end of which bears N. 51°40' E., 590.2 ft. dist. from Cor. No. 2 of LUCKY MICA #1 (one) lode; 8 ft. wide, 3 ft. deep, running S. 83° E., 95 ft. Value, \$475.
No. 13.	A trench, the east end of which bears N. 64°33' E., 544.5 ft. dist. from Cor. No. 2 of LUCKY MICA #1 (one) lode; 8 ft. wide, 4 ft. deep, running S. 69° W., 95 ft. Value, \$475.
No. 14.	A trench, the east end of which bears N. 70°25' E., 495.6 ft. dist. from Cor. No. 2 of LUCKY MICA #1 (one) lode; 8 ft. wide, 4 ft. deep, running S. 87° W., 87 ft. Value, \$435.
No. 15.	A cut, the mouth of which bears N. 60°30' E., 388.3 ft. dist. from Cor. No. 2 of LUCKY MICA #1 (one) lode; 24 ft. wide, runs N. 46° E., 35 ft. to a face, 10 ft. high.  Value, \$700.
No. 16.	A trench, the east end of which bears N. 82°10' E., 435.3 ft. dist. from Cor. No. 2 of LUCKY MICA #1 (one) lode; 8 ft. wide, 3 ft. deep, running N. 70° W., 103 ft. Value, \$505.
No. 17.	A trench, the east end of which bears S. 78°40' E., 459.8 ft. dist. from Cor. No. 2 of LUCKY MICA #1 (one) lode; 8 ft. wide, 4 ft. deep, running N. 66° W., 79 ft. Value, \$395.
No. 18.	'A cut, the mouth of which bears N. 89°58' E., 344.9 ft. dist. from Cor. No. 2 of LUCKY MICA #1 (one) lode; 4 ft. wide, runs N. 41° E., 15 ft. to a face, 5 ft. high. Value, \$300.
No. 1.	The discovery point of the LUCKY MICA #2 (TWO) lode is on the lode line 300 ft. from a point on line 4-1, 299.18 ft. from Cor. No. 4. Value, none.
No. 2.	A cut, the mouth of which bears S. 60°30' W., 495.1 ft. dist. from Cor. No. 1 of LUCKY MICA #2 (TWO) lode; 4 ft. wide, runs N. 87° E., 10 ft. to a face, 5 ft. high.  Value, \$200.
No. 3.	A trench, the east end of which bears S. 77°15' W., 779.2 ft. dist. from Cor. No. 1 of LUCKY MICA #2 (TWO), 8 ft. wide, 3 ft. deep, running N. 52° W., 30 ft. Value, \$300.
No. 4.	A trench, the south end of which bears S. 33°35' E., 279.8 ft. dist. from Cor. No. 2 of LUCKY MICA #2 (TWO) lode; 15 ft. wide, 3 ft. deep, running N. 28° E., 37 ft. Value, \$370.
No. 1.	The discovery point of the ROSE QUARTZ #1 lode is on the lode line 400 ft. from a point on line 3-4, 299.67 ft. from Cor. No. 3.  Value, none

9

3

			July and Jul
^ <u>/</u>	FEET		
	No.		A cut, the mouth of which bears S. 24° 44' E., 491.2 ft. dist. from Cor. No. 4 of ROSE QUARTZ #1 lode; 12 ft. wide, runs N. 6° W., 15 ft. to a face, 8 ft. high. Value, \$300.
	No.	307	A shaft, the center of which bears S. 47° 41' E., 319.5 ft. dist. from Cor. No. 4 of ROSE QUARTZ #1 lode; 4 x 8 ft. in size, 4 ft. deep, long sides bears N. 74° E.  Value, \$80.
	No.		A shaft, the center of which bears S. 15° 31' E., 208.6 ft. dist. from Cor. No. 4 of ROSE QUARTZ #1 lode; 6 x 10 ft. in size, 5 ft. deep, long sides bears N. 70° W.
	a din B.C.	vioin,	Nixer and . Value, \$200. accompany
			An interest in a common improvement described as follows:
	esim esim esikesik		A shaft 8 x 6 ft. in size, the long sides bears N. 8° W., the center of which bears N. 50° 30' E., 498.3 ft. dist. from Cor. No. 2 of LUCKY MICA #1 (one) lode; thence vertical 12.5 ft. to Sta. 1 and 31.3 ft. to Sta. 2 and bottom of shaft. At Sta. 1, a drift 4 x 5 ft. in size, runs N. 8° W., 15 ft. to breast. At Sta. 2, a crosscut 6 x 8 ft. in size, runs S. 75° E., 15 ft. to breast.  Value of shaft, drift and crosscut, \$2,160.
		noen;	Value of one-third interest, \$720.
			This improvement is for the development of the three lodes of this survey, LUCKY MICA #1 (one), LUCKY MICA #2 (TWO) and ROSE QUARTZ #1 lodes, which are all of the contiguous lode claims owned in common within range of this development affords the most practical and economical means of developing each of the stated lodes at depth.
			Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore an undivided one-third interest in its value is hereby credited to each of said lodes.
			Except as above stated, no portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.
			OTHER IMPROVEMENTS
			A drill hole, 6 ins. diam., the center of which bears S. 3° 10' E., 953.1 ft. dist. from Cor. No. 1 LUCKY MICA #1 (one) lode; 52 ft. deep. Claimant herein.
			A drill hole, 6 ins. diam., the center of which bears S. 4° 40' E., 856 ft. dist. from Cor. No. 1 LUCKY MICA #1 (one) lode; 48 ft. deep. Claimant herein.

FEET

ed a col dime

A drill hole, 6 ins. diam., the center of which bears S. 5° 30' E., 860.2 ft. dist. from Cor. No. 1 LUCKY MICA #1 (one) lode; 31 ft. deep. Claimant hereim.

A drill hole, 6 ins. diam., the center of which bears S. 6° 15! E., 863.1 ft. dist. from Cor. No. 1 LUCKY MICA #1 (one) lode; 47 ft. deep. Claimant herein.

A drill hole, 6 ins. diam., the center of which bears S. 7° 05' E., 866.3 ft. dist. from Cor. No. 1 LUCKY MICA #1 (one) lode; 11 ft. deep. Claimant herein.

An access road, 12 ft. wide, approximately 1.5 miles long, through the claims. Claimant herein.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

The corner of secs. 14, 15, 22, and 23 is an iron post, firmly set, mkd. and witnessed as described in the official record.

#### FIELD ASSISTANTS

. Driet London

fore se smallet best of post

Let be calculate an expense of the even of

Except o diore state; no netion o Like terrive ent nim use needthe live where the say looks and .

to the control of the

Rear 8, 1 10 1., 111.1 ft. work. For Kind and the control of winds.

East 8, 1 10 1., 111.1 ft. work. For Kind and the control of the control

Stephen W. Holdread

Chainman

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

#### CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor	Date
LOUIS A. CORNEJO	September 15, 1967
I HEREBY CERTIFY That in pursuance of an order Land Management . at	received from the Bureau of Phoenix, Arizona
	I have carefully executed the survey of the claim
Benjamin H. Fortner & Bert Boyd	,
nown as the (lode, placer, or mill site) LUCKY MICA #1 tuated in Sections 14, 15, 22 and 23 ownship 6 N. , Range 5 W. , Gila and Salt	ROSE QUARTZ #1 Lodes ,
ate of Arizona .	t inter
This survey, designated as number 4647 , and has been made in strict conformity with said order, the ands of the United States, and in the specific manner described.	e Manual of Instructions for the Survey of Public
I FURTHER CERTIFY That the labor expended and the (lode or placer) lodes	location(s)
mbraced in the said mining claim by claimant(s) or theirantors are fully stated in my report. The character, extended in the character, extended in the position of, or interest in, said labor and impluded in the estimate of expenditures upon any other claim	ent, location, and itemized value are specified in provements so credited to this claim has been in-
PARKER, ARIZONA	us a. Corneje.
(Location)	(Signature of Mineral Surveyor)
	Location Phoenix, Arizona Date February 28, 1968
The foregoing field notes of mineral survey number 3	4647 , in Sections 14, 15, 22 an
ownship 6 N., Range 5 W., Gila and Salt ate of Arizona, executed by Loui ineral Surveyor, under order dated March 28, ecessary corrections made prior to their certification by the	t River Meridian, in the is A. Cornejo , 1967 , having been critically examined and the
scribed are hereby approved.	
- d can a	
(Authorized Signature)	State Director (Title)
Fred J. Wayrer Signature)	
CERTIFICATE OF TR	RANSCRIPT
I CERTIFY That the foregoing transcript of field the subsection of the original pale not	
(Authorized Signature)	(Title)
tle 18, U.S.C. section 1001, makes it a crime for any person kr gency of the United States any false, fictitious, or fraudulent sta	
s jurisdiction.	atements of representations as to any matter within

11, 11 more of the LESTY EST 1 (50 ), LOSKY ESS 1 (Tal) and THE DATE of Lotes in redicates

## UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 4647 ARIZONA STATE OFFICE

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The LUCKY MICA #1 (one), LUCKY MICA #2 (TWO) and ROSE QUARTZ #1 lodes, Mineral Survey No. 4647, located in sections 14, 15, 22 and 23, Township 6 North, Range 5 West, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"LUCKY MICA #1 (one), LUCKY MICA #2 (TWO) and ROSE QUARTZ #1 lodes, M.S. 4647, were canceled March 25, 2002, by memo 9605 (956) M.S. 4647, which is now a part of the original field notes."

March 25, 2002 Date

Chief Cadastral Surveyor of Arizona

		*